



TABLE OF CONTENTS

DOMESTIC DRUMS	
LCC DRUMS	5
DRUM CROSS-REFERENCE	6

BRAKE DRUMS



ROAD CHOICE® BRAKE DRUMS

are manufactured to meet the toughest requirements of the heavy-duty North American aftermarket based on recommended SAE practices and are covered by a limited warranty for the life of the drum. Every Road Choice full-cast brake rear drum is machine-balanced to 20 in-oz. specifications, with front drums balanced to 10 in-oz specifications, per industry standards. This helps to reduce vibration and improves roll characteristics for a better ride. Bolt holes are machine-drilled to provide tighter mounting tolerances.

Available for the most popular front, rear, and trailer positions to meet RSD requirements, Road Choice brake drums provide quality, performance and value.

DOMESTIC DRUM SPECIFICATIONS

ROAD CHOICE PART NUMBER	BRAKE SIZE	BRAKE DRUM DIAMETER	BRAKE SURFACE	OVERALL DEPTH	PILOT DIAMETER	BOLT CIRCLE	WEIGHT	BOLT HOLES	BOLT HOLE SIZE	POSITION
BD1657VX	16.5" x 7"	16.5″	7.78"	10.56"	8.78"	11.25"	105 lbs.	10	1.10"	Rear/Trailer
BD1504X-06	15" X 4"	15″	4.78"	8.79"	8.78"	11.25"	79 lbs.	10	1.00"	Front
BD1505X	15" x 5"	15"	5.38"	9.04"	8.78"	11.25"	96 lbs.	10	1.25"	Front
BD1504X-44	15" x 4"	15"	4.66"	9.18"	8.78"	11.25"	79 lbs.	10	1.25"	Front
BD1657X	16.5" x 7"	16.5"	7.60"	10.56"	8.78"	11.25"	112 lbs.	10	1.00"	Rear/Trailer
BD1656X	16.5" x 6"	16.5"	6.52"	9.74"	8.78"	11.25"	108 lbs.	10	1.25"	Rear/Trailer



LCC BRAKE DRUMS

Road Choice LCC brake drums are manufactured in an ISO 9001-2000, ISO TS16949, EN ISO14001, and IATF 16949 certified factory ensuring superior-quality products.

LCC DRUM SPECIFICATIONS

ROAD CHOICE PART NUMBER	BRAKE SIZE	BRAKE DRUM DIAMETER	BRAKE SURFACE	OVERALL DEPTH	PILOT DIAMETER	BOLT CIRCLE	WEIGHT	BOLT HOLES	BOLT HOLE SIZE	POSITION
BD16231X	16.5" x 7"	16.5″	7.56″	10.56"	8.78"	11.25"	102 lbs.	10	1.00"	Rear/Trailer
BD16232X	16.5" x 7"	16.5″	7.56″	10.62"	8.78"	11.25"	108 lbs.	10	1.00"	Rear/Trailer
BD1688LWX	16.5" x 7"	16.5″	7.6"	10.43"	8.78"	11.25"	88 lbs.	10	1.00"	Rear/Trailer

LIGHT WEIGHT ROAD CHOICE DRUM: BD1688LWX

Save 25 lbs. per wheel end with the light weight Road Choice BD1688LWX drum. This 88 lb. steel jacketed composite drum offers a 50 lb. weight savings per axle (100 lbs. on a tandem axle truck) compared to the Volvo and Mack OEM (new truck) standard 3600AX drum.



BRAKE DRUMS

DOMESTIC DRUM CROSS-REFERENCE

ROAD CHOICE DRUM	GUNITE	MERITOR	WEBB	STEMCO	CONMET	TRP	ALLIANCE	КІС
BD1657VX	3922X	85-123788-002, 85-123207	56864B			DB1657B	ABP N42A1657VB	60000-018
BD1504X-06	3721AX, 3569X	85-123251-002, 85-123382-002	61528B	90089BK, 889870B	107507	DB154B	ABP N42A1655BPI	54201-108
BD1505X	3710X, 3573X	03-123383-002	65710B	600001			ABP N42A1655BPI	54238-018
BD1504X-44	3726X, 3800X	85-123448-002	65548B	89870BK	10001781, 10009920, 107164		ABP N42A154B	54293-018
BD1657X	3600AX	85-123207-002, 85-123365	66864B	89996B	10001776, 10009830, 10037763		ABP N42A1657B	54261-018, 60001-018
BD1656X	3687X	85-123399-002, 123400	65152B	91265B	10033071, 10037765, 10037991,107193			54248-018

LCC DRUM CROSS-REFERENCE

ROAD CHOICE DRUM	GUNITE	MERITOR	WEBB	STEMCO	CONMET	TRP	ALLIANCE	кіс
BD16231X	3922X	85-123788-002, 85-123207	56864B			DB1657B	ABP N42A1657VB	60000-018
BD16232X	3600AX	85-123207-002, 85-123365	66864B	89996B	10001776, 10009830, 10037763		ABP N42A1657B	54261-018, 60001-018
BD1688LWX		53-123537-002, 50-123537-002		600084, 89996B				80002-018

